

**DECOSPAN®**  
ESSENTIALS

## MATRIX DECOFLEX, DECOPLY & DECOLAM

DECOFLEX Flexible wood veneer		Jointing	Slicing	2500 x 1240 mm		3050 x 1240 mm	
				Architectural	Classic	Architectural	Classic
	ASH WHITE Essen wit Frêne blanc Esche weiß	Book	Crown cut	●	●	●	
			Quarter cut	●			
	BEECH STEAMED Beuken gestoomd Hêtre étuvé Buche gedämpft	Book	Crown cut	●			
	BIRCH Berken Bouleau Birke	Book	Rotary cut		●		
	CHERRY AMERICAN Kersen Amerikaans Merisier US Kirschbaum Amerikanisch	Book	Crown cut		●		
	ELM RED Olmen rood Amerikaans Orme US rouge Rotrüster	Book	Crown cut	●			
	KHAYA	Book	Quarter cut	●			
	LARCH Lariks Mélèze Lärche	Book	Quarter cut			●	
	MAPLE Maple Érable US Ahorn Kanadisch	Book	Crown cut		●		
			Quarter cut		●		
	OAK Eik Chêne Eiche	Book	Crown cut	●	●	●	●
			Quarter small mirror		●		●
			False quarter	●		●	
	PINE Den Pin Kiefer	Book	Crown cut		●		
	SAPELE Sapeli Sapeli Sapeli	Book	Crown cut	●			
			Quarter cut	●		●	
	SYCOMORE Sycamore Sycamore Ahorn Europäisch	Book	Crown cut	●			
	TEAK Teak Teck Teak	Book	Crown cut	●	●	●	●
	WALNUT AMERICAN Noten Amerikaans Noyer US Nussbaum US	Book	Crown cut	●	●	●	●
	WENGÉ Wengé Wenge	Book	Quarter cut	●			
BALANCING VENEER MILL'S CHOICE				●	●	●	●

### DECOPLY

Multiple veneer layers

	OAK Eik Chêne Eiche	2-PLY (Along-Along)	Book	Quarter small mirror		●		●
		3-PLY (Along-Across-Along)	Book	Quarter small mirror		●		●

### DECOLAM

Flexible wood laminate

	OAK Eik Chêne Eiche	Book	Quarter small mirror		●		●
--	------------------------------	------	----------------------	--	---	--	---

## MATRIX SHEETS

NATURAL WOOD Authentic veneer		Jointing	Slicing	2500 x 1220/1250* mm		2800 x 2070 mm		3050 x 1220/1250* mm		3050 x 1530 mm	
				Classic	Commercial	Classic	Commercial	Classic	Commercial	Classic	Commercial
	ASH WHITE Essen wit Frêne blanc Esche weiß	Book	Crown cut	●	●			●			
			Quarter cut	●						●	
			Mill's choice	●		●					
	BEECH STEAMED Beuken gestoomd Hêtre étuvé Buche gedämpft	Book	Mill's choice	●	●						
	BEECH WHITE Beuken wit Hêtre blanc Buche helle weiße	Book	Mill's choice	●	●	●				●	●
	BIRCH Berken Bouleau Birke	Book	Rotary cut	●							
	CHERRY AMERICAN Kersen Amerikaans Merisier US Kirschbaum Amerikanisch	Book	Crown cut	●	●						
	MAPLE Maple Érable US Ahorn Kanadisch	Book	Crown cut		●						
	OAK Eik Chêne Eiche	Book	Crown cut	●	●	●	●	●	●	●	●
			Quarter small mirror	●	●	●	●	●	●	●	●
			Quarter big mirror	●	●			●	●		
	PINE Den Pin Kiefer	Book	Crown cut	●							
	SAPELE Sapeli Sapeli Sapeli	Book	Crown cut		●						
			Quarter cut	●	●						
	WALNUT AMERICAN Noten Amerikaans Noyer US Nussbaum US	Book	Crown cut	●	●			●	●		
			Mill's choice				●				

\* Depending on Raw Board width can vary from 1220 to 1250 mm

### INFINITE WOOD

Reconstituted veneer

		Jointing	Slicing			3050 x 1220 mm	
	SIRIUS BIRCH	not specified	Rotary			●	
	POLARIS PINE	not specified	Rotary			●	
	HYDRA BIRCH	Slip Matched	-			●	
	ORION OAK	Slip Matched	Crown cut			●	
	VELA OAK	Mix-Matched	Crown & Quarter cut			●	
	RANA OAK	Slip Matched	Quarter cut			●	
	ATRIA OAK	Slip Matched	Crown cut			●	
	LYRA OAK	Slip Matched	Crown cut			●	
	ATLAS OAK	Slip Matched	Crown cut			●	
	ANTARES TEAK	Slip Matched	Crown cut			●	
	ALTAIR TEAK	Slip Matched	Quarter cut			●	
	SPICA ZEBRANO	Slip Matched	Quarter cut			●	
	ARA ROSEWOOD	Slip Matched	Crown cut			●	
	MATAR WENGÉ	Slip Matched	Crown cut			●	
	MIRA WENGÉ	Slip Matched	Quarter cut			●	
	CORVUS EBONY	Slip Matched	Quarter cut			●	
	TALITHA EBONY	Slip Matched	Quarter cut			●	

# MATRIX RAW BOARDS

			3 mm	3,6 mm	4 mm	5 mm	6 mm	6,5 mm	8 mm	9 mm	10 mm	12 mm	15 mm	16 mm	18 mm	19 mm	21 mm	22 mm	24 mm	25 mm	27 mm	28 mm	30 mm	38 mm	
<b>MDF</b>	<b>Basic</b> E1 (EU)	2030 x 1220 mm											●												
		2440 x 1220 mm	●		●	●	●			●	●		●	●		●		●		●		●	●	●	
		2500 x 1240 mm												●											
		2800 x 2070 mm	●							●			●	●		●		●		●		●		●	
		3050 x 1220 mm	●					●		●			●	●	●		●		●		●		●	●	●
		3050 x 1525 mm														●									
	<b>Fire Retardant</b> Euroclass B-s1,d0*	2440 x 1220 mm														🔥									
		3050 x 1220 mm														🔥									
	<b>Moisture Resistant</b>	2440 x 1220 mm														💧									
		3050 x 1220 mm														💧									
	<b>Moisture Resistant &amp; Black</b>	2440 x 1220 mm														◆									
		3050 x 1220 mm														◆									
	<b>Black &amp; Light weight</b>	2800 x 2070 mm														◆									
	<b>Light weight</b>	2440 x 1220 mm														●									
	<b>CARB II / TSCA VI</b>	2500 x 1250 mm														●									
2800 x 1240 mm															●										
3060 x 1250 mm															●										

\* Fire retardancy classification only valid for raw boards / Size tolerance: L ± 5 mm, W ± 5 mm, thickness ± 0,2 mm - Other dimensions available on request / Panels can be cut to size.

<b>CHIPBOARD</b>	<b>Basic</b> Product Class P2	2500 x 1250 mm							●		●	●	●		●							●		●	
		2800 x 2070 mm							●			●	●			●					●		●		●
		3050 x 1250 mm							●							●							●		●
		3050 x 1530 mm												●		●								●	
	<b>Fire Retardant</b> Euroclass B-s1,d0* Product Class P2	2500 x 1250 mm														🔥									
		2800 x 2070 mm															🔥								
	<b>Moisture Resistant</b> Product Class P3	2500 x 1250 mm														💧									

\* Fire retardancy classification only valid for raw boards / Size tolerance: L ± 5 mm, W ± 5 mm, thickness ± 0,3 mm - Other dimensions available on request / Panels can be cut to size.

<b>PLYWOOD</b>	<b>Poplar</b> Glue type Class 1	2150 x 1220 mm													●										
		2500 x 1220 mm				●			●			●	●			●									
		3050 x 1530 mm							●			●	●			●									
	<b>Poplar</b> WBP, Glue type class 3	2500 x 1220 mm							💧			💧													
		3050 x 1530 mm		💧		💧																			
	<b>Indo Meranti</b> WBP, Glue type class 3	2500 x 1220 mm		💧		💧																			
		3050 x 1530 mm		💧																					
		2500 x 1250 mm						💧		💧		💧	💧			💧							💧		
	<b>Birch</b> WBP, Glue type class 3	2150 x 1250 mm														💧									
		3050 x 1525/1530 mm														💧								💧	
<b>Birch, Fire Retardant</b> WBP, Glue type class 3 Euroclass B-s1,d0*	2500 x 1250 mm														🔥										
	2500 x 1220 mm														💧										

\* Fire retardancy classification only valid for raw boards / Size tolerance: L ± 5 mm, W ± 5 mm, thickness ± 0,4 / ± 1 mm - Other dimensions available on request / Panels can be cut to size.

<b>BLOCKBOARD</b>	<b>Deck fromager, poplar, beech e.a.</b> Glue type class 1 (IF 20)	2150 x 1240 mm													●										
		2500 x 1240 mm												●		●		●		●		●		●	
		2800 x 2070 mm												●		●		●		●		●		●	
		3050 x 1530 mm												●		●		●		●		●		●	
	<b>Deck MDF / HDF</b> Glue type class 1 (IF 20)	2500 x 1240 mm														●									
		2800 x 2070 mm												●		●		●		●		●		●	
3050 x 1530 mm													●		●		●		●		●		●		

Size tolerance: L ± 5 mm, W ± 5 mm, thickness ± 0,4 mm - Other dimensions available on request / Panels can be cut to size.



Decospan nv  
Industriezone Grenslan  
Lageweg 33  
8930 Menen - Belgium  
+32 56 52 88 00  
info@decospan.com



[WWW.DECOSPAN.COM](http://WWW.DECOSPAN.COM)

© Decospan 2026 - Nothing from this brochure may be reproduced without written prior permission. Please note that the information in this brochure may be outdated and a new version may already have been issued. That is why we recommend you to always consult our website to download the most recent version. The photos of the different wood species, as shown in this brochure, are a representation of a unique part of wood and are not binding for future deliveries. Decospan is committed to the continuous improvement of its products and services, therefor the actual products may differ from the products and pictures in this brochure. Decospan disclaims any liability pursuant to the variations that may occur between the products and pictures in this brochure and the actual products. All content in this brochure is for information purposes only and no rights can be obtained therefrom.